

# SURCHARGE SCHEDULE

## Area - Sydney Metropolitan



Effective Date – 1 April 2026

Expires – 31 July 2026\*

\*Subject to earlier change by notice

ITEM	DESCRIPTION	FEE
<b>All rates are exclusive of GST</b>		
<b>Fuel Surcharge</b>	Surcharge for fuel and related costs	Rate as published from time to time at <a href="http://www.hymix.com.au">www.hymix.com.au</a>
<b>Normal Operating Hours</b> Note: All public holidays are treated as a Sunday	Monday to Friday - 6:00am to 5:00pm Saturday - 6:00am to 12:00noon	Not applicable
<b>Out of Hours</b> Note: Rates are applied as "ex-plant" times and not "on-site" times.	Monday to Friday - 4:00am to 6:00am Monday to Friday - 5:00pm to 6:00pm Monday to Friday - 6:00pm to 4:00am Saturday - 4:00am to 6:00am Saturday - 12:00noon to 4:00pm Saturday to Monday - 4:00pm to 4:00am Note: All public holidays are treated as a Sunday	\$10.00/m <sup>3</sup> (min charge of \$40.00) \$30.00/m <sup>3</sup> (min charge of \$120.00) \$50.00/m <sup>3</sup> (min charge of \$200.00) \$25.00/m <sup>3</sup> (min charge of \$100.00) \$60.00/m <sup>3</sup> (min charge of \$240.00) \$150.00/m <sup>3</sup> (min charge of \$600.00)
<b>Plant After Hours Service Fee</b> Minimum 72 hours notice required	Applies to any supply outside Normal Operating Hours. Note: In addition Outside Hours Charge will also apply Minimum of 24 hours notice required for all cancellations otherwise fee will be charges	\$3,500 per event (Includes one plant, one batcher and one truck for a period of 4 hours) Over 4 hours \$500/hour or part thereof Extra truck hire \$125/hour with a minimum charge of 4 hour per event
<b>Order Cancellation</b>	From 8am the day before the pour Less than 25m <sup>3</sup> 25m <sup>3</sup> to 75m <sup>3</sup> More than 75m <sup>3</sup>	\$500.00 \$2,000.00 \$4,000.00
<b>Agitator Standby</b>	Applies when outside Normal Operating Hours	\$200.00/hour/agitator on a pro rata basis after first hour
<b>Waiting Time</b>	Applied after first 45 minutes on site Normal Operating Hours Outside Normal Operating Hours	\$6.50/minute after 45 minutes \$10.00/minute after 45 minutes
<b>Minimum Load</b>	Loads less than 4.0m <sup>3</sup>	\$90.00/m <sup>3</sup> undelivered
<b>Returned Concrete Handling Fee</b>	Applies to any unused concrete returned from site. On all occasions, customers will be given the choice of taking the excess concrete on their site or have it returned to Hymix at the following cost: Automatic charge for the 1 <sup>st</sup> m <sup>3</sup> regardless of tip docket > 1.0m <sup>3</sup> rounded up to nearest whole m <sup>3</sup> regardless of tip docket availability	\$500.00/m <sup>3</sup> \$360.00/m <sup>3</sup>
<b>Manual Additions</b> Max 12kg per unit	All manual additions	\$30.00/m <sup>3</sup>
<b>Slump Modification</b>	Loads where slump is increased ≥ 20mm (No deductions apply for slumps less than 80mm)	\$6.00 per 20mm slump (or part thereof)
<b>Blowback</b>	Pump clearing line back into Agitator	No longer permitted
<b>Hyset (Set Time Modification)</b>	Hyset Hyset Advantage Hyset Advantage +	\$10.00/m <sup>3</sup> \$20.00/m <sup>3</sup> \$25.00/m <sup>3</sup>
<b>Alternative Aggregate</b>	10mm or less Other	\$10.00/m <sup>3</sup> POA
<b>Sydney Metro Toll Surcharge</b>	Heavy vehicle toll charges for raw material deliveries	\$2.00/m <sup>3</sup>
<b>Plant Delay Fees</b>	Delays to the Hymix production process due to: • Changes to the agreed starting time, or • Changes to the agreed consumption rate, or • Holding trucks on site in excess of 60 minutes	Hymix reserves the right to recover costs up to \$15,000 per hour
<b>Administration Fee</b>	Replacement invoices or delivery dockets	\$20.00/copy
<b>Concrete Testing</b>	Charges apply for requested testing to meet specification requirements.	Refer to Technical Services Charges

Please note, all service charges and testing charges will be applied over and above rates charged for concrete.

\*All charges are subjective to change at any time with 30 days notice with the exception of the Fuel Surcharge, which can be varied at any time on 7 days notice.

## **SURCHARGE SCHEDULE**

### **Area - Sydney Metropolitan**

Effective Date – 1 April 2026

Expires – 31 July 2026\*  
\*Subject to earlier change by notice

#### **Product Testing**

- Please note testing may be sub contracted. The ordering of testing by the customer is taken as approval to use alternative NATA approved contractors.

#### **Delivery Notice - Special Mixes**

- For all special mixes not mentioned above a minimum of 72 hours notice is required prior to delivery.

#### **Waterproof Concrete**

- Hymix does not guarantee waterproofness or impermeability of concrete or any resultant structure when a specification calls for the inclusion into a mix of a water proof admixture or permeability reducing admixture
- Minimum 72 hours notice is required prior to delivery

#### **Temperature Control**

- Hymix does not guarantee the temperature of the concrete. For concrete that requires temperature control, the price will be subject to the requested specification and the process requirements to complete the pour.

#### **Shrinkage Specification**

- Shrinkage specification is based on laboratory test results as per AS1012. Site testing could result in variations in test results of up to  $\pm 150$  microstrain.

#### **Load Size Restrictions**

- To comply with quality assurance certain standard products will be sold and batched with a minimum load size of 1.0m<sup>3</sup> and quantity increments will apply.

For certain non-standard products, and all products above 50MPa will be sold and batched with a minimum load size of 2.0m<sup>3</sup> and quantity increments will apply.

These load size restrictions may change periodically. For further information please contact your Hymix representative.

#### **Contract Documents**

- Hymix reserves the right to negotiate all conditions contained in any contract/agreement documentation. Until such negotiations have taken place, the Hymix Terms and Conditions of Sale which have been included with this submission will take precedence.

#### **Payment Terms and GST**

- Cash sales – payment required prior to delivery
- Credit accounts – within any credit period granted in writing by Hymix All rates are exclusive of GST

#### **Credit Card Payments**

- Hymix has the option for account customers to pay their invoices via credit card; this payment method will attract a surcharge of 1.0% for MasterCard and Visa and 2.04% for AMEX.

## TECHNICAL SERVICE CHARGES

### Area - New South Wales

(The following charges cover the Sydney Metro area and Country Areas - Central Coast, Newcastle and Hunter Valley areas)

For other areas please contact your local sales representative

Effective Date – 1 April 2026

Expires – 31 July 2026\*  
\*Subject to earlier change by notice

<b>STANDARD TESTING SERVICES</b>	<b>Charge</b>	<b>Billing Unit</b>
Monday to Friday between 6:00 am and 4:00 pm All tests to AS1012, AS1379 and TfNSW Methods All tests exclude 0-2 day age information, but include sample, slump, cast, cure, test report at 28 days	All rates are exclusive of GST	
<b>100mm cylinders</b> (minimum of 3)		
Sydney Metropolitan area	\$312.00	per test
Country Areas listed above	\$342.00	per test
<b>Extra single 100mm cylinder</b>		
Sydney Metropolitan area	\$104.00	per test
Country Areas listed above	\$114.00	per test
<b>Indirect Tensile Test</b> – 150mm cylinders (minimum of 3)	\$354.00	per test
<b>Grout cubes with no slump</b> (minimum of 3)	\$73.00	each
<b>Flexural Testing</b> (3 x (300mm x 100mm x 100mm beams))	\$624.00	per set
<b>100mm cylinders</b> (crush and report only) Sydney metropolitan area	\$46.00	per cylinder
<b>100mm cylinders</b> (sample, slump and cast only)	\$74.00	per cylinder
<b>100mm cylinders</b> (0-2 day age surcharge)		
Sydney Metropolitan area	\$59.00	per cylinder
Country Areas listed above	\$59.00	per cylinder
<b>ADDITIONAL TESTING AND OTHER ITEMS</b>		
<b>Slump</b> (if already on-site)	\$60.00	per test
<b>Air Content</b> (if already on-site)	\$125.00	per test
<b>Density of Fresh Concrete</b> (if already on-site)	\$92.00	per test
<b>Density of Hardened Concrete</b> (Method 2)	\$65.00	per test
If in addition to compression cylinders or cores	\$26.00	per test
<b>Dry Shrinkage Testing</b> (sample, cast, cure, measure, report)	\$602.00	per test
<b>Dry Shrinkage Testing</b> (cure, measure, report)	\$421.00	per test
<b>Chloride and Sulphate Test on Hardened Concrete</b>	\$413.00	per test
<b>AAR (alkali reactivity)</b> – Accelerated Mortar Bar (RMS T363, AS 1141.60.1)	\$1,560.00	per test
<b>AAR (alkali reactivity)</b> – Accelerated Mortar Bar (RMS T364, AS 1141.60.2)	\$2,600.00	per test
<b>Trial mixes</b> (design, sample and preparation) Testing is charged at above rates	\$1,399.00	per trial
<b>TfNSW Trial mixes</b> (design, sample and preparation) Testing is charged at above rates	\$2,630.00	per trial
<b>Steel Fibres Count in Plastic Concrete</b>	\$171.00	per test
<b>Sorptivity Test</b> (RMS T362)	\$276.00	per test
<b>Vebe Test</b>	\$69.00	per test
<b>Bleeding Test</b> (site)	\$252.00	per test
<b>Bleeding Test</b> (lab)	\$115.00	per test
<b>Setting Time Test</b>	\$281.00	per test
<b>Visual Slump Only</b>		
Minimum 5 per hour	\$22.00	per test
If less than 5 per hour	\$74.00	per test
<b>Change Crush Date Fee</b>	\$69.00	per request

Please note testing may be sub contracted. The ordering of testing by the customer is taken as approval to use alternative NATA approved contractors.

## TECHNICAL SERVICE CHARGES

### Area - New South Wales

(The following charges cover the Sydney Metro area and Country Areas - Central Coast, Newcastle and Hunter Valley areas)

For other areas please contact your local sales representative

Effective Date – 1 April 2026

Expires – 31 July 2026\*

\*Subject to earlier change by notice

ADDITIONAL TESTING AND OTHER ITEMS	Charge	Billing Unit
	All rates are exclusive of GST	
<b>Slump Flow Test</b> (including T-500 and VSI)	\$87.00	per test
<b>J - Ring Test</b>	\$54.00	per test
<b>Rapid Penetration Test</b>	\$82.00	per test
<b>Permeability Test</b> (Core or Moulded)	\$242.00	each
<b>Voids Test</b> (Core or Moulded)	\$104.00	each
<b>Modulus of Elasticity</b>	\$1,262.00	per test
<b>Thermal Testing</b> – Single Point Dry out Test	\$574.00	per test
<b>Thermal Testing</b> – Full Dry Out Test	\$1,148.00	per test
<b>ADDITIONAL CHARGES</b>		
<b>Site Supervision</b> (with or without cylinders)	\$110.00	per hour
<b>Slow Testing</b> (one sample per hour)	\$74.00	per hour
<b>Waiting Time</b> (Pour hasn't commenced)	\$127.00	per hour
<b>Lab Opening Fee</b> – Monday to Saturday before 6:00am or after 4:00pm	\$746.00	per item
<b>Lab Opening Fee</b> – Sunday and Public Holiday (Minimum 4 hours)	\$746.00	per item
	\$115.00	per hour
<b>Testing on-site after hours</b> – Monday to Saturday 6:00pm - 9:00pm (Minimum 4 hours)	\$94.00	per hour
<b>Testing on-site after hours</b> – Monday to Saturday 9:00pm - 6:00am (Minimum 4 hours)	\$125.00	per hour
<b>Testing on-site after hours</b> – Saturday 6:00am – 6:00pm (Minimum 4 hours)	\$52.00	per hour
<b>Testing on-site after hours</b> – Sunday and public holidays – all day (Minimum 4 hours)	\$104.00	per hour
<b>Late cancellation of concrete</b> - Normal Hours (Notified within 1 hour of the ordered time or if the tester has arrived on site)	\$345.00	per cancellation
<b>Late cancellation of concrete</b> - Night Work (Notified within 24 hours of the ordered time)	\$574.00	per cancellation
<b>Concrete Mix Design Letter</b>	\$173.00	per letter
<b>Concrete Solutions Specialist general consultancy</b>	\$175.00	per hour
<b>Concrete Solutions Specialist specification review and mix optimisation</b>	\$175.00	per hour
<b>Site inspection and technical reporting</b>	\$175.00	per hour
<b>AS1379 compliance report</b>	\$219.00	per report
<b>Concrete compressive strength projection report</b>	\$110.00	per report
<b>MISCELLANEOUS CHARGES</b>		
		per report
<b>Re-issue of test certificates</b>	\$64.00	admin fee
<b>Curing box damaged / lost on site</b>	\$402.00	per curing box
<b>100mm Cylinder moulds damaged / lost on site</b>	\$322.00	per mould
<b>Upload Test Certificate</b>	\$13.00	per upload

Please note testing may be sub contracted. The ordering of testing by the customer is taken as approval to use alternative NATA approved contractors.